

MURIATIC ACID

Corporate Headquarters:

Emergency 24 Hour Telephone: CHEMTREC 800.424.9300

Hasa Inc. 23119 Drayton Street Saugus, California 91350 Telephone • 661.259.5848 Fax • 661.259.1538



Material Safety Data Sheet

IDENTIFICATION OF PRODUCT		
Product Name:	HASA MURIATIC ACID	
Common Chemical Names:	31.45% Hydrochloric Acid, HCl	
Chemical Names of Ingredients:	Hydrogen Chloride, Water	
Chemical Family:	Inorganic Acid	
CAS Registry Number:	7647-01-0	
Empirical Formula:	HCI	
Molecular Weight:	36.46 [Hydrogen Chloride]	

PHYSICAL AND CHEMICAL PROPERTIES ¹			
Vapor Pressure:	35 mm Hg at 25°C [77°F]	Flash Point:	Not Applicable.
Weight/Gallon:	9.6 lbs [4.4 kg]	pH:	1% solution less than 1.0
Density [liquid]:	1.16 at 15.6°C [64°F]	Odor:	Irritating, pungent, acidic
Bulk Density:	Not Applicable.	Boiling Point:	83°C [181.4°F] at 760mm Hg
Melting Point:	Not Applicable.	Freezing Point:	-46°C [-50.8°F]
Physical State:	Solution	Color:	Straw Yellow to water white
Solubility in Water:	Complete	Stability:	Stable

PHYSICAL HAZARDS		
Potential for Fire:	Nonflammable	
Potential for Explosion:	Forms flammable hydrogen gas on contact with metals.	
Reactivity:	Will react with caustic materials, oxidizing materials and metals [zinc, galvanized iron, brass, aluminum, copper and copper alloys, etc.] Hazardous polymerization will not occur.	
Extinguishing Media:	Use water spray or fog nozzle to keep containers cool.	
Fire Fighting Procedures:	Wear self-contained breathing apparatus and protective clothing.	

HASA MURIATIC ACID Material Safety Data Sheet MSDS No. 110

HEALTH HAZARDS		
Signs and Symptoms of	Exposure:	Eyes and skin burns. Not a skin sensitizer.
Medical Conditions Aggr	avated by Exposure:	No data available.
Oral [ingestion] LD ₅₀ :		900 mg/kg ² [rat]
Dermal [skin absorption]	LD ₅₀ :	No data available.
Inhalation [breathing] LC	50:	3124 ppm [1 hour, rat] ³
Eye Irritation:		Corrosive. Will burn eyes on contact.4
Skin Irritation:		Corrosive. Not considered to be a skin sensitizer. ⁵
OSHA PEL:		5 ppm [ceiling] ⁶
ACGIH TLV/TWA:		5 ppm [as HCI] ⁷
	POTENTIAL R	OUTE [S] OF ENTRY
Inhalation [Breathing]:	Inhalation of fumes.	
Dermal [Skin]:	Liquid contact.	

POTENTIAL ROUTE [S] OF ENTRY	
Inhalation [Breathing]:	Inhalation of fumes.
Dermal [Skin]:	Liquid contact.
Eyes:	Fumes and/or liquid contact.
Ingestion:	Swallowing of liquid.

AQUATIC AND ENVIRONMENTAL TOXICITY		
96-hour LC ₅₀ [Mosquito Fish]:	282 mg/l ⁸	
96-hour LC ₅₀ [Blue Gill]:	100% pH lowered to 3.6 ⁹	

CARCINOGENIC [CANCER POTENTIAL] INFORMATION	
No evidence of bone, lung, or nasal tumors found in rats chronically exposed to HCI vapors. ¹⁰	
National Toxicological Program [NTP] Sixth Annual Report on Carcinogens: Not liste	
International Agency for Research on Cancer [IARC] Monographs, V. 1-53, Supps. 1-8:	
Listed by Federal OSHA as Carcinogens:	
Safe Drinking Water and Toxic Enforcement Act of 1986 [Proposition 65, California only]:	

GENERAL PRECAUTIONS FOR SAFE USE AND HANDLING

Store in a cool, dry place. Do not mix with alkaline materials or metals. Keep container closed and protected against physical damage. Separate from incompatible materials in storage areas. Store separated from oxidizers. Keep containers closed when not in use. Keep out of the reach of children.

PERSONAL PROTECTION AND HYGIENE

Wear rubber gloves and eye protection when handling. Goggles should be vapor proof. Wash hands after handling. Provide ventilation for storage and use areas. Wear impervious clothing when handling and using this product. Do not breathe vapor. Avoid contact with skin and clothing.

CLEAN-UP OF SPILLS

Neutralize liquid with soda ash, sodium sesquicarbonate, slaked lime, or sodium bicarbonate and flush to a sanitary sewer.

r		
	Material Safety Data Sheet MSDS No. 110	HASA MURIATIC ACID

FIRST AID		
Eye Contact:	Flush with water. Remove contact lenses [if applicable]. Hold eyelids open. Continue flushing with water for 15 minutes. Get prompt medical attention.	
Skin Contact:	Wash affected area with water for 15 minutes. Get medical attention.	
Ingestion [swallowing]:	Drink large quantities of water. DO NOT induce vomiting. Call a physician or poison control center immediately.	
Inhalation:	Move to a safe area. If not breathing, give artificial respiration. Call a physician immediately.	

FEDERAL/STATE LISTS/REGISTRATION/S/REPORTING REQUIREMENTS		
CERCLA Hazardous Substance [Section 1010 [4], P.L. 96-510]:	RQ 5,000 lbs [1644 gallons based on HCl in solution]	
Extremely Hazardous Substance [40 CFR 355, Appendix A]:	Not listed.	
Pesticide Product 7 U.S.C. 136 et seq.:	Not registered.	
Toxic Substance under TSCA:	Yes	
Pesticide Product [various State Laws]:	Not used for pesticidal purposes.	
Department of Agriculture:	GRAS when used in accordance with good manufacturing practices.	

MATERIAL CLASSIFICATION		
OSHA Hazard Communication Standard, Department of Labor,	Corrosive Liquid	
Occupational Safety and Health Division, 29 CFR 1910.1200:		
Department of Transportation CFR 49 Shipping Description:	Hydrochloric Acid, 8, UN 1789, P.G. II	
	[4-1 gallon returnable bottles in plastic	
	crate add "DOT-E-6614" after "P.G. II."]	

National Fire Protection Association NFPA 704 [1990]:	3-0-0
BOCA National Fire Prevention Code/National Building Code [1999editions]:	Corrosive Liquid
Standard Fire Prevention Code/Standard Building Code [1997 editions]:	Corrosive Liquid
Uniform Fire Code/Uniform Building Code [1997 editions]:	Corrosive Liquid
Uniform Fire Code Standards 79-3, Uniform Fire Code, V. II [1997 edition]:	3-0-0

FOOTNOTES [REFERENCES]

¹ E.I. Dupont de Nemours Company, Memo [January 31, 1990]

² Biochemische Zeitschrift [Berlin, Germany] 134, 437, 23

³ MacEwan, J.D. and E.H. Vernot, *NTIS Pub. No. Ad-AO31860* [1976] [CA 86:13442x][J-2798]: Vernot E. H. et al., *Toxicology and Applied Pharmacology*, 422 [2]:97-100 [1975]; Wohlsliagel, J. et al., *Aerospace Medical Research Laboratories*, AMRL-TR-125, pp. 275-285 [1975]; Wohlsliagel, J. et al., *Journal Combustion Toxicology*, 3[2]:61-70, [1976].

⁴ Griffith, J.F. et al, *Toxicology and Applied Pharmacology*, 55[3]: 501-513 [1081].

⁵ Gad, S.C. et al., *Toxicology and Applied Pharmacology*, 84[1]: 93-114.

⁶ 29 CFR 1910.1000

⁷ ACGIH Bulletin.

⁸ Wallen, I.E. et al., Sewage Industrial Wastes, 29:695 [1957] cited in McKee, J.E. et al., Water Quality Criteria. 2rd Edition, 1963.

⁹ Calms, J. Jr., et al., Proceedings 13th Ind. Wastes Conf., Purdue University Engineering Bulletin, 43:243-252 [1959].

¹⁰ Albert, R.E., et al., Journal National Cancer Institute, 68[4]:597-603 [1982]; Ballou, J.E. et al., Pac. Northwest Lab Annu. Re. DOE Asst. Sec. Environ. Report No. PNL-2500-Pt. 1, 6.1-6.2 [1978]: Sellakumar, A.R. et al, Proceedings American Association of Cancer Research, 24:94 [1083].

<u>Please Note</u>: The information contained herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge and belief. NO WARRANTY OR GUARANTEE, expressed or implied, is made regarding the product performance, product stability, or as to any other condition of use, handling, transportation, and storage. Customer use, handling, transportation, and storage may involve additional safety and/or performance considerations. Our technical personnel will be happy to respond to questions regarding safe handling, storage, transportation and use procedures remain the sole responsibility of the customer. No suggestions for handling, storage, transportation or use are intended as or to be construed as recommendations which may infringe on any existing patents or violate any Federal, State, and/or local law and/or regulation, ordinance, standard, etc.. This Material Safety Data Sheet has been prepared by HASA, Inc. staff from test reports and other information available in the public domain.