USR -- Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

I.1. Product identifier

Product form : Mixture

Product name : "USR" Uratic Salts Remover

Product code : Q-568

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : URATIC SALTS REMOVER

1.3. Details of the supplier of the safety data sheet

CHEMEX INDUSTRIES, INC. - 3 Chattanooga -- Irvine, CA 92620 Phone: 714-832-8441 Fax: 714-832-8103

1.4. Emergency telephone number

Emergency number : CHEMTEL: 800-255-3924

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms





Signal word : Danger

Hazard statements : Causes severe skin burns and eye damage.

Causes serious eye damage. May cause respiratory irritation.

Precautionary statements : Do not breathe fume, mist, vapors.

Wash hands and forearms thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear eye protection, face protection, protective clothing, protective gloves. If swallowed: rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician. Call a POISON CENTER/doctor/physician if you feel unwell.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with Local, State, and Federal regulations.

2.3. Hazard not otherwise classified (HNOC)

No additional information available

Product Code:568 EN (English US) Page 1 of 7

USR - URATIC SALTS REMOVER

Safety Data Sheet

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of H-phrases: see section 16

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
hydrochloric acid	(CAS No) 7647-01-0	20 - 25	Skin Corr. 1B, H314 STOT SE 3, H335
alcohols, C9-11, ethoxylated	(CAS No) 68439-46-3	1 - 5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318

(NOTE: If component displays the * (asterisk) symbol, the following statement applies.)

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a

POISON CENTER or doctor/physician.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a POISON CENTER or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or

doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation : Corrosion of the upper respiratory tract.
Symptoms/injuries after skin contact : Causes burns/corrosion of the skin.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the

 $gastric/intestinal\ mucosa.\ Abdominal\ pain.\ Gastrointestinal\ complaints.$

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam. BC powder. Carbon dioxide. Dry chemical powder. Sand/earth.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity

: Reacts violently with (some) bases: release of heat. Reacts exothermically with (strong) oxidizers: release of toxic and corrosive gases/vapors (chlorine). Reacts exothermically with (strong) reducers: release of highly flammable gases/vapors (hydrogen). Reacts with (some)

metals: release of highly flammable gases/vapors (hydrogen).

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : No additional information available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

Product Code: Q-360 EN (English US) Page 2 of 7

^{*}Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Safety Data Sheet "USR"

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles.

Protective gloves.

Protective clothing.

Respiratory protection.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. If

reacting: dilute toxic gas/vapor with water spray.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials. Neutralize small quantities of the liquid spill with lime, sodium bicarbonate, soda (sodium carbonate) or soda ash. Wash down leftovers with plenty of

water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not get in eyes, on skin, or on clothing. Do not breathe fume, mist, vapors. Ensure good

ventilation of the work station. Observe normal hygiene standards. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Use

personal protective equipment as required.

Hygiene measures : Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Wash hands and forearms thoroughly after handling. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provide local exhaust or general room ventilation. Comply with applicable regulations.

Incompatible products : Strong bases. Oxidizing agent.

Storage area : Store in a cool, dry well-ventilated area. Keep container tightly closed when not in use.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrochloric acid (7647-01-0)		
ACGIH	ACGIH Ceiling (ppm)	2 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	7 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	5 ppm

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. In case of insufficient ventilation, wear suitable respiratory equipment.

Other information : When using, do not eat, drink or smoke.

Appropriate engineering controls : Handle in accordance with good industrial hygiene and safety practice. Wash hands before

breaks and at the end of workday.

Product Code: Q-568 EN (English US) Page 3 of 7

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : White
Odor : Pungent

Odor threshold : No data available

pH : <1

Melting point: No data availableFreezing point: No data available

Boiling point : > 212 °F

Flash point : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Flammability (solid, gas) : No data available
Explosive limits : No data available
Vapor pressure : No data available
Vapor density : No data available

Specific Gravity @ 77° F : 1.108 - 1.128
Solubility : Soluble in water.
Partition Coefficient n-Octanol-Water : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity : No data available

9.2. Other information

VOC content : < 1 g/l CARB VOC

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with (some) bases: release of heat. Reacts exothermically with (strong) oxidizers: release of toxic and corrosive gases/vapors (chlorine). Reacts exothermically with (strong) reducers: release of highly flammable gases/vapors (hydrogen). Reacts with (some) metals: release of highly flammable gases/vapors (hydrogen).

10.2. Chemical stability

Stable under recommended conditions.

10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and bases. Contact with base liberates toxic gas.

10.4. Conditions to avoid

Extremely high or low temperatures.

10.5. Incompatible materials

Strong bases. Oxidizers.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. Nitrogen oxides. Thermal decomposition generates: Corrosive vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

alcohols, C9-11, ethoxylated (68439-46-3)	
LD50 oral rat	1378 mg/kg (Rat)
LD50 dermal rabbit	> 2000 mg/kg (Rabbit)
ATE US (oral)	1378.000 mg/kg body weight
Ckin correction/irritation	Causes severe skip burns and eve demans

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: < 1

Serious eye damage/irritation : Causes serious eye damage.

pH: < 1

Product Code:Q-568 EN (English US) Page **4** of **7**

Safety Data Sheet

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified

Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

hydrochloric acid (7647-01-0)

IARC group

3 - Not Classifiable

Reproductive toxicity : Not classified

Based on available data, the classification criteria are not met

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

Symptoms/injuries after inhalation : Corrosion of the upper respiratory tract.
Symptoms/injuries after skin contact : Causes burns/corrosion of the skin.
Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : Harmful if swallowed. FOLLOWING SYMPTOMS MAY APPEAR LATER: Burns to the

gastric/intestinal mucosa. Abdominal pain. Gastrointestinal complaints.

SECTION 12: Ecological information

12.1. Toxicity

hydrochloric acid (7647-01-0)		
LC50 fish 1	282 mg/l (96 h; Gambusia affinis; Pure substance)	
EC50 Daphnia 1	< 56 mg/l (72 h; Daphnia magna; Pure substance)	
LC50 fish 2	862 mg/l (Leuciscus idus; Pure substance)	
TLM fish 1	282 ppm (96 h; Gambusia affinis; Pure substance)	
alcohols, C9-11, ethoxylated (68439-46-3)		
LC50 fish 1	5.7 mg/l (Rainbow trout)	
EC50 Daphnia 1	2.5 mg/l	

12.2. Persistence and degradability

hydrochloric acid (7647-01-0)		
Persistence and degradability Biodegradability: not applicable. No (test) data on mobility of the components available.		
alcohols, C9-11, ethoxylated (68439-46-3)		
Persistence and degradability	Readily biodegradable in water.	

12.3. Bioaccumulative potential

hydrochloric acid (7647-01-0)	
Log Pow	0.3
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
alcohols, C9-11, ethoxylated (68439-46-3)	
Bioaccumulative potential	No bioaccumulation data available.

12.4. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with Local, State, and Federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN Number

Product Code: Q-568 EN (English US) Page **5** of **7**

Safety Data Sheet

UN-No.(DOT) : 3264

Other information : Under 49 CFR 173.154(c) and (b)(1): This product may be shipped as ORM-D or Limited

Quantity if the inner packagings do not exceed 1 L (0.3 gallons) or 1.0 kg (2.2 lbs). This provision does not apply to transportation by vessel or aircraft, except where other means of

transportation is impracticable.

14.2. UN proper shipping name

DOT Proper Shipping Name : UN3264, Corrosive Liquid, Acidic, Inorganic, N.O.S. (Hydrochloric Acid), 8, PGII

Hazard labels (DOT) : 8 - Corrosive



SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed on the Toxic Substances Control Act (TSCA) inventory

hydrochloric acid (7647-01-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Listed on SARA Section 313 (Specific toxic chemical listings)		
RQ (Reportable quantity, section 101(14) of CERCLA as published on EPA's List of Lists) :	5000 lb	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
SARA Section 313 - Emission Reporting	Only if it is an aerosol form (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)	
alcohols, C9-11, ethoxylated (68439-46-3)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	

15.2. International regulations

CANADA

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification according to Directive 67/548/EEC or 1999/45/EC

Not classified

15.2.2. National regulations

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Abbreviations Legend:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation

Product Code: Q-658 EN (English US) Page 6 of 7

Safety Data Sheet

Disclaimer

This document is generated for the purpose of distributing health, safely, and environmental data. The information and recommendations are presented in good faith and believed to be from reliable sources, however, the information is provided without any warranty, expressed or implied, regarding its completeness or accuracy. Some information is from sources other than direct test data on the material itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and for this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with handling, storage, use, or disposal of the product.

ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (714) 832-8441

Revision date: 04/27/2015 Supersedes: 01/27/2012 Version: 1.0

Product Code: Q-568 EN (English US) Page **7** of **7**