

ALPHA-HP Multi-Surface Cleaner

Fire Hazard **National Fire Hazardous Material** Health 3 Protection **Information System** 2 Fire Hazard Health Reactivity **Association** (HMIS) Reactivity 1 (NFPA) Specific Hazard

Protective Clothing

Emergency Clear. Liquid. See Section 9.

Overview DANGER. CORROSIVE. CAUSES EYE BURNS.HARMFUL OR FATAL IF SWALLOWED.

CAUTION: Combustible liquid

| Section 1. Chemical Product and Company Identification | | | | |
|---|---|---|---------------------------------|-----------------------------|
| Product Name | ALPHA-HP Multi-Surface Cleaner | | Code | 3350743 & 3350727 & 3401512 |
| Product Use | Industrial/Institutional: Cleaning product. | | PMS# | Not available. |
| MSDS# | F-00479001 | | Validation Date | 6/17/2004 |
| U.S. Headquarters | | Canadian Headquarters Print Date | | 6/17/2004 |
| JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversey.com | | JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131 | Supersedes In Case of Emergency | 5/18/2004 (800) 851-7145 |

| Section 2. Composition and Information on Ingredients | | | | |
|---|--------------------------------------|-------------------|---|--|
| Ingredients | CAS# | % by Weight | Exposure Limits | LC50/LD50 |
| Phosphoric Acid Ethoxylated Linear Alcohol Hydrogen Peroxide | 7664-38-2 68439-45-2 7722-84-1 | 1-5 1-5 1-5 | OSHA (United States). TWA: 1 mg/m³ STEL: 3 mg/m³ ACGIH (United States). TWA: 1 mg/m³ STEL: 3 mg/m³ ACGIH TLV (United States, 2003). Notes: STEL: 3 mg/m³ 15 minute(s). TWA: 1 mg/m³ 8 hour(s). OSHA PEL (United States, 1993). Notes: TWA: 1 mg/m³ 8 hour(s) Not available. OSHA (United States, 1993). TWA: 1.4 mg/m³ ACGIH (United States). | ORAL (LD50): Acute: 1530 mg/kg [Rat]. DERMAL (LD50): Acute: 2740 mg/kg [Rabbit]. VAPOR (LC50): Acute: >850 mg/m³ 1 hour(s) [Rat]. Not available. ORAL (LD50): Acute: 376 mg/kg [Rat]. 910 mg/kg [Rat]. 1518 mg/kg [Rat]. DERMAL (LD50): Acute: 4060 mg/kg |
| | | | TWA: 1.4 mg/m³ ACGIH TLV (United States, 2003) TWA: 1.4 mg/m³ 8 hour(s). TWA: 1 ppm 8 hour(s). OSHA PEL (United States, 1993). Notes: TWA: 1.4 mg/m³ 8 hour(s). | [Rat]. VAPOR (LC50): Acute: 2000 mg/m³ 4 hour(s) [Rat]. |



| Propylene Glycol N-Propyl | 1569-01-3 | 5-10 | TWA: 1 ppm 8 hour(s) Not available. | Not available. |
|-----------------------------|------------|--------|-------------------------------------|----------------|
| Ether | 1309-01-3 | 5-10 | Not available. | Not available. |
| Alkylbenzene sulphonic acid | 68584-22-5 | 5-10 | Not available. | Not available. |
| Water | 7732-18-5 | 60-100 | Not available. | Not available. |

| Section 3. Hazards Identification | | | |
|--|--|--|--|
| Routes of Entry | Eye contact. Ingestion. Inhalation. Skin contact | | |
| Potential Acute Health Ef | fects | | |
| Eye | S Corrosive. May cause permanent damage including blindness. | | |
| Ski | Skin May be severely irritating to skin. | | |
| Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract. | | | |
| Ingestio | n May cause abdominal discomfort, nausea, vomiting and diarrhea. May be irritating to mouth, throat and stomach. | | |
| Medical Conditions Aggravated by Overexposure: | Persons with pre-existing skin disorders may be more susceptable to irritating effects. Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects. | | |
| See Toxicological Information (section 11) | | | |

| Section 4. First Aid Measures | | |
|-------------------------------|---|--|
| Eye Contact | Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately. | |
| Skin Contact | Flush immediately with plenty of water for at least 15 minutes. Get medical attention. | |
| Inhalation | If breathing is difficult: Remove to fresh air. Get medical attention immediately. | |
| Ingestion | Immediately drink 1-2 glasses of water or milk. Get medical attention. | |

| Section 5. Fire Fighting Measures | | |
|---|---|--|
| Flammability of the | COMBUSTIBLE. | |
| Product | | |
| Flash Points | Closed cup: 67.222°C (153°F). | |
| Products of Combustion | None known. | |
| Fire Fighting Media and Instructions | Use water spray to keep fire exposed containers cool. dry chemical, carbon dioxide. | |
| Protective Clothing (Fire) | Put on appropriate personal protective equipment (see Section 8). | |
| Special Remarks on Fire and Explosion Hazards | Material may burn in heat of fire. Corrosive material (See sections 8 and 10). | |

| Section 6. Accidental Release Measures | | |
|--|--|--|
| Personal Precautions | Put on appropriate personal protective equipment (see Section 8). | |
| Environmental Precautions and Clean-up Methods | Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods. | |

| Section 7. Handling and Storage | | |
|---------------------------------|---|--|
| Handling | Avoid contact with eyes, skin and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Use only in well-ventilated areas.FOR COMMERCIAL AND INDUSTRIAL USE ONLY. | |
| Storage | Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. Keep away from heat, sparks and flame. KEEP OUT OF REACH OF CHILDREN. | |



ALPHA-HP Multi-Surface Cleaner

Section 8. Exposure Controls/Personal Protection

Engineering Controls Good general ventilation should be sufficient to control airborne levels. Respiratory protection

is not required if good ventilation is maintained.

Personal Protection

Eyes Chemical splash goggles.

Hands Chemical resistant gloves. Includes: Persons with pre-existing skin disorders may be more

susceptable to irritating effects.

Respiratory No special requirements under normal use conditions.

Feet No special requirements under normal use conditions.

Body If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and

Liquid.

Appearance

Odor

pН

Citrus. (Slight.)

Color Clear.

1.0 [Acidic.]

Specific Gravity 1.038

Solubility in water Complete.

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Conditions of Instability

None known.

Incompatibility with Various Substances

Reactive with metals, acids.

Hazardous Decomposition None known.

Products

Hazardous Polymerization Will not occur.

Section 11. Toxicological Information

Acute toxicity Acute oral toxicity (LD50)Estimated to be greater than 2000 mg/kg (rat).

Effects of Chronic

Exposure

None known.

Other Toxic Effects

None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information No special precautions. Dispose of according to all federal, state and local applicable

regulations.

Section 14. Transport Information

DOT Classification

DOT Proper Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Shipping Name

TDG Classification

TDG Proper Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Shipping Name

TDG Class

Page: 3/4

ALPHA-HP Multi-Surface Cleaner

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal SARA 302/304/311/312 extremely hazardous substances: Hydrogen Peroxide

SARA 302/304 emergency planning and notification: Hydrogen Peroxide

SARA 302/304/311/312 hazardous chemicals: Phosphoric Acid, Hydrogen Peroxide SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Phosphoric

Acid, Hydrogen Peroxide

Clean Water Act (CWA) 311: Phosphoric Acid CERCLA: Hazardous substances.: Phosphoric Acid

State New Jersey spill list: Phosphoric Acid, Hydrogen Peroxide

New Jersey: Phosphoric Acid, Hydrogen Peroxide

Massachusetts spill list: Phosphoric Acid, Hydrogen Peroxide Massachusetts RTK: Phosphoric Acid. Hydrogen Peroxide Pennsylvania RTK: Phosphoric Acid, Hydrogen Peroxide

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable. Information

Canadian Regulations

Canadian NPRI Canadian NPRI: Phosphoric Acid.

WHMIS Classification Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).

Class D-2B: Material causing other toxic effects (TOXIC).

WHMIS Icon





Registered Product Not applicable. Information

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

MSDS Serial Range: 1-2 Other Special

Considerations

Version

1.03

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.